


# TFL-Q

## Mini Visual Fault Locator



Mini  
compact



2.5mm  
universal connector



USB  
Charging



LED  
Light

### Products Characteristics

- Pocket size design, mini and compact
- Rubber dustproof cover
- Testing distance is up to 30km, high stability
- 2.5mm universal connector, suitable for SC/ST/FC connector
- Strong and stable light source, strong penetrating power
- Be equipped with LED light, more convenient to work in the dark
- Built-in lithium battery, safe to use USB charging, convenient usage



**LED light**

Convenient to work in the dark



**USB charging**

USB charging,you can charge at any time  
Safe and stable,use at ease



**Concealed button**

Concealed button to prevent accidental touch



**Mini and Compact**

**Slim and Light**



## Testing distance is up to 30km



## 2.5mm universal connector



## Products specification

Model	TFL-Q-1	TFL-Q-10	TFL-Q-20	TFL-Q-30	
Power range	1mW	10mW	20mW	30mW	
Testing distance	3-5km	8-10km	15-20km	25-30km	
Working time	Battery type	7H	5H	4H	2H
	Charging type	15H	10H	8H	4H
Wavelength	650nm				
Laser type	LD				
Frequency	CW / 2Hz				
Working temperature	-20 ~ +60 (°C)				
LED light	Yes				
Power supply	AAA 1.5V battery X2 / Lithium battery 1000mAh				
Charging port	USB charging(only for charging type)				
Dimension	93 x 46.5 x 21 (mm)				
Weight	61 g (with battery)				

All the above data are obtained by komshine Lab in a 20° environment



## Products display



### CONTACT US:

NANJING ORIENTEK OPTICAL COMMUNICATION LTD.

### HEAD OFFICE:

Jianshan Industry Park, Liuhe District, Nanjing, Jiangsu, China

Web: [www.orientekot.com](http://www.orientekot.com)

Mail: [info@orientekot.com](mailto:info@orientekot.com)

#### Export Control Regulations

The products and/or technical information presented in this publication may be subject to the application of the Foreign Exchange and Foreign Trade Act and other related laws and regulations in China. In addition, the Export Administration Regulations (EAR) of the United States may be applicable. In cases where exporting or reexporting the products and/or technical information presented in this publication, customers are requested to follow the necessary procedures at their own responsibility and cost. Please contact the Ministry of Economy, Trade and Industry of China or the Department of Commerce of the United States for details about procedures.