

TFM-200

Fiber Connector Microscope




Product characteristics

- The amplification rates of 200 times are switched to each other.
- Imported coated lens, stain clearly visible.
- White LED, rated for 100,000 hours; 40 hour battery life
- Grinded silica gel shell, anti-skid, anti-fall and anti-shock.
- Supporting SC/FC/ST/LC
- 1.25 mm & 2.5mm adapter
- Small size, one-handed, convenient and fast.

Supporting SC/FC/ST/LC/SC



USE EFFECT:



PRODUCT SPECIFICATION:

Magnification	200x
Light Source	White LED, rated for 100,000 hours; 40 hour battery life
Size	225mm x 60mm x 42mm
Adapter Interface	1.25 mm & 2.5mm universal adapter included
Interface type	SC, FC, ST and LC
Includes	host machine 1.25 mm & 2.5mm adapter Nylon black bag Packing box

PRODUCT LIST:



HEAD OFFICE:

OrientTek Optical Technology Ltd.

CONTACT US:

Jianshan Industry Park, Liuhe District, Nanjing, Jiangsu, China

TEL: (+86) 25 8687 0598

FAX: (+86) 25 8687 0598

www.orientekot.com

sales@orientekot.com

Export Control Regulations

The products and/or technical information presented in this publication may be subject to the application of the Foreign Exchange and Foreign Trade Act and other related laws and regulations in China.

In addition, the Export Administration Regulations (EAR) of the United States may be applicable.

In cases where exporting or reexporting the products and/or technical information presented in this publication, customers are requested to follow the necessary procedures at their own responsibility and cost. Please contact the Ministry of Economy, Trade and Industry of China or the Department of Commerce of the United States for details about procedures.