

TIP-600P

Fiber Inspection Probe



Product feature

- 400 times magnification, the fiber end face is clearly visible.
- Less than 1 μ m resolution, clear imaging.
- USB Port compatible with the PCs and Laptops(Windows), OTDR(Orientek)
- Applicable for UPC: SC/ FC/ ST/ LC/ SC Female/LC Female(Included)
Applicable for APC: SC/SC Female(Optional)
- Quick focus manually.
- Light weight and portable, simple operation.

Product Features




400x
magnification



Available 8
connectors



USB
-Port



Simplified
Process



Recognition
accuracy 1 μ m

Universal Compatibility



Applicable for UPC: SC/ FC/ ST/ LC/
SC Female/ LC Female(Included)
Applicable for APC: SC/SC Female(Optional)



SC



FC



ST



LC



SC female



LC female

How to use it ?



Products Pictures

Type	TIP-600P probe
Magnification	400X
Focusing method	Manual
Connectors	Applicable for UPC: SC/ FC/ ST/ LC/ SC Female/LC Female(Included) Applicable for APC: SC/SC Female(Optional)
Video signal format	NTSC/PAL
Storage Temperature	-20°C~50°C
US Port	PCs and Laptops(Windows), OTDR(Orientek)

Products



CONTACT US:

Orientek Optical Technology Ltd.

HEAD OFFICE:

Jianshan Industry Park, Liuhe District, Nanjing, Jiangsu, China

TEL: (+86) 25 58538261

FAX: (+86) 25 58538261

www.orientekot.com

sales@orientekot.com

Export Control Regulations

The products and/or technical information presented in this publication may be subject to the Foreign Exchange and Foreign Trade Act and other related laws and regulations in China. In addition, the Export Administration Regulations (EAR) of the United States may be applicable. In cases where exporting or reexporting the products and/or technical information presented in this publication, customers are requested to follow the necessary procedures at their own responsibility. Please contact the Ministry of Economy, Trade and Industry of China or the Department of Commerce of the United States for details about procedures.